

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒DEEPEN ☐PLUG BACK ☐

b. TYPE OF WELL

OIL
WELL ☒GAS
WELL ☐

OTHER

SINGLE
ZONE ☐MULTIPLE
ZONE ☐

2. NAME OF OPERATOR

TEXACO INC.

ATTENTION: A. R. Marx

3. ADDRESS OF OPERATOR

Box EE, Cortez, CO 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)

At surface

C - NW/4 Sec 21

At proposed prod. zone

1400' FNL & 1320' FWL

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

Approximately 4 miles NW of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.

(Also to nearest drlg. unit line, if any) 1320'

16. NO. OF ACRES IN LEASE

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT.

675'

19. PROPOSED DEPTH

5600'

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4547' GL

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48#	100'	Circ to surface
11"	8 5/8"	24#	1420'	Circ to surface
7 7/8"	5 1/2"	14#; 15.5#	5600'	1st Stage - 300 sacks 2nd Stage - 575 sacks

Propose to drill this infield well in order to gain optimum primary and secondary oil recovery from the Aneth Unit. Samples will be taken at 10' intervals from 5000' to TD. No cores or DST's are planned, logs will be run from surface casing to TD. DV collar to be run below DeChelly and cement to bottom of surface casing. Prospective zones will be perforated and acidized. Blowout preventer equipment will be as indicated on the attached Exhibit and tested at regular intervals. Necessary steps will be taken to protect the environment.

ESTIMATED FORMATION TOPS

Chinle - 1393'


Isma - 5210'

Desert Creek - 5370'

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations, and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED



TITLE Field Superintendent

DATE

8-1-84

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

BLM(6) UOCCC (3) JNH, LAA, ARM, PART (12)

COMPANY Texaco Inc.

Well Name & No. Aneth Unit Well No. E1211


Lease No. _____

Location 1400 feet from North line and 1320 feet from West line

Being in San Juan County, Utah

Sec. 21, T.40S., R.24E., S.L.M.


Ground Elevation 4547





Scale - 4 inches equals 1 mile

Surveyed July 5, 19 84

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.




Texaco Inc.
Aneth Unit Well No. E121I
1400' FNL & 1320' FWL Sec. 21-40S-24E
San Juan County, Utah



July 18, 1984

Minimum equipment requirements are:

1. Blowout preventers must be capable of being operated both mechanically and hydraulically. Controls must be located so that the blowout preventer can be operated outside the drilling rig substructure. All steel tubing and connections must be used between the hydraulic controls and the blowout preventer.
2. Pressure rating of the blowout preventer and associated connections must be proportional to depth and pressure expectations. Use Figure 1 as a guide in unknown areas.
3. Distance "A" must be sufficient to accommodate a Hydril preventer if required.
4. Chokes, valves, manifold piping and kill line must be flanged and designed equal to or above the pressure rating of the blowout preventer.
5. Kelly cock must be used at all times and should be checked daily.



NOTE: BLOWOUT PREVENTER MUST HAVE DOUBLE RAMS, ONE BLIND & ONE PIPE RAM OR THE EQUIPMENT MUST CONSIST OF TWO BLOWOUT PREVENTERS, ONE EQUIPPED WITH BLIND RAMS & THE OTHER WITH PIPE RAMS. ALWAYS PLACE THE BLIND RAMS IN THE TOP PREVENTER.

APPROVED
[Signature]
[Signature]

TEXACO INC	
DENVER, COLORADO	
BLOWOUT PREVENTER ASSEMBLY STANDARD NO. 2	
DESIGNED BY <i>[Signature]</i>	CHECKED BY <i>[Signature]</i>
DRAWN BY <i>[Signature]</i>	FILE NO. <i>[Signature]</i>
REVISED <i>[Signature]</i>	DATE <i>[Signature]</i>

ADDITIONAL INFORMATION

- 1) Conductor Casing 100' of 13 3/8" OD 48# H-40 ST & C casing.
- 2) Surface casing: 1420' of 8 5/8" OD 24# K-55 ST & C casing.
- 3) Production casing:
0-5050: 5050' of 5 1/2" OD 14# K-55 ST & C casing.
5050 - 5600: 550' of 5 1/2" OD 15.5# K-55 ST & C casing
(Ruff Coated).
- 4) Blowout Preventer: Schaffer, Double Gate, Hydraulic, 900 series. Tested when surface casing set and at regular intervals.
- 5) Auxiliary equipment:
 - a) Kelly Cock will be used at all times and checked daily.
 - b) Safety sub with full opening valve for drill pipe on floor.
- 6) Anticipated bottom hole pressure: 2500 psi.
- 7) Drilling Fluid:
Fresh Water - 0 - 2000'
Fresh Water Gel - 2000' -TD

Surface Use Development Plan
Aneth Unit Well No. E121I
C NW/4 Sec. 21, T40S, R24E.
San Juan County, Utah

- 1) Existing Roads and exit to the location are shown on the attached map (Map #1).
- 2) Planned access road: Access road will depart from the existing road as shown on the attached map (Map #1). The road will be 220' long, 18' wide with a drainage ditch on the upper side of the road. There will be approximately a 7' cut when building road. There will be no turnouts or surface materials required. There will not be any need for fences to be cut or cattleguards to be put in. One culvert will be needed off existing road.
- 3) Off set wells to the proposed well are shown on the attached map (Map #1).
- 4) Flowline will run Southeast approximately 1000' to existing battery 21. Powerline will run Southeast approximately 150' to existing power line. (Shown on attached Maps #2 and #3).
- 5) Water for drilling operations will be trucked from Texaco's pressure maintenance system, a distance of approximately four miles east of the proposed well.
- 6) No additional construction material will be required.
- 7) All waste material will be contained by earthen and steel pits. Earthen pits will be subsequently back-filled and buried. A portable chemical toilet will be furnished for drilling personnel.
- 8) No separate drill campsites are proposed.
- 9) The drilling site location will be graded and will be approximately 250' x 250' with natural drainage to the West. Proper grading will be used to control erosion and the drilling pad surface will be compacted soil. There will be approximately a 14 foot cut on the Northeast side of the location with approximately 5 feet of fill on the Southwest side.
- 10) All surfaces not used in normal well servicing and maintenance will be cleaned and graded.
- 11) This location slopes at an increase of 14 feet per 350' to the Northwest. The surface is sandy and rocky, sparsely covered with vegetation normally found in the Aneth Unit area (Rabbit Brush, Sage, Snake Weed, Ephedra, Shadscale, Narrow Leaf Yucca, Prickly Pear, Galleta, Indian Rice Grass, Brome, and Three-Awn).
- 12) Texaco's Representative:

Mr. A. R. Marx
Field Superintendent
P. O. Box EE
Cortez, Colorado 81321
(303) 565-8401

Surface Use Development Plan
Continued from Page One

13) Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Texaco, Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.


Date

7/29/84

A. R. Marx by James S. Hay
A. R. Marx

Field Superintendent

MAP #1



Utah Federal
I-B

6

5

U.S.A

4

INDIAN

U.S.A.

U.S.A.

Navajo

Navajo

Gulf

Gulf

Texaco E

E107

E207

F207

G207

H207

E208

F208

G108

H208

E209

Map #2

9

Texaco "E"

G309

I

E307

G307

E308

G308

E309

Navajo-Fed. "6"

Navajo-Fed. "5"

Navajo Tribe

Navajo Allottees

Navajo Tribe

Ismay Fed.

Navajo-Fed. Unit

Navajo-Fed. "2"

Navajo-Fed. "3"

Navajo-Fed. "4"

Navajo-Fed. "3"

Texaco "G"

Navajo Tribe

Texaco "G"

Texaco "L"

Shell

E118

G118

S1

E117

G117

E116

F116

G216

H216

F416

G316

H316

17

E317

G317

E316

F316

G416

H416

Navajo Tribe

F417

H417

State No.3

Texaco "D"

Texaco "D"

Texaco "L"

Texaco "D"

Navajo-Fed. "B"

F219

H219

E319

F319

G319

19

Navajo Tribe

E320

G320

E321

G321

H321

20

Navajo Tribe

F420

H420

Navajo Tribe

F421

H421

west-D

PROPOSED LINE

21

Sun-Marathon

Sinclair

Texaco "S"

Battery 21

E129

G129

G128

of Calif.

F229

H229


F228


H228

MAP #3


PROPOSED
LOCATION
E1211

PROPOSED
POWERLINE





MAP # 4



OPERATOR Sepco, Inc DATE 8-9-84
WELL NAME Aneth Unit E-121-I
SEC C NW/21 T 405 R 24E COUNTY San Juan

43-037-31078
API NUMBER

Indian
TYPE OF LEASE

POSTING CHECK OFF:

☐

INDEX

☐

MAP

☐

HL

☐

NID

☐☐

PI

PROCESSING COMMENTS:

Unit Well - & on POP (Steve Macom - New Mexico)
Need water permit

CHIEF PETROLEUM ENGINEER REVIEW:

APPROVAL LETTER:

SPACING:

☒

A-3

Aneth
UNIT

☐

c-3-a

CAUSE NO. & DATE

☐

c-3-b

☐

c-3-c

SPECIAL LANGUAGE:

Water



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Scott M. Matheson, Governor
Temple A. Reynolds, Executive Director
Dianne R. Nielson, Ph.D., Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

October 9, 1984

Texaco, Inc.
Box EE
Cortez, Colorado 81321

Gentlemen:

Re: Well No. Aneth Unit #E 121-I - C NW Sec. 21, T. 40S, R. 24E
1400' FNL, 1320' FWL- San Juan County, Utah

Approval to drill the above referenced oil well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure, subject to the following stipulations:

1. Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water.

In addition, the following actions are necessary to fully comply with this approval:


1. Spudding notification to the Division within 24 hours after drilling operations commence.
2. Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
3. Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 533-5771, (Home) 298-7695 or R. J. Firth, Associate Director, (Home) 571-6068.
4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Page 2
Texaco, Inc.
Well No. Aneth Unit #E 121-I
October 9, 1984

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31078.


Sincerely,



R. J. Firth
Associate Director, Oil & Gas

as
Enclosures
cc: Branch of Fluid Minerals
Bureau of Indian Affairs

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK

DRILL ☒

PLUG BACK ☐

b. TYPE OF WELL

OIL WELL ☒

GAS WELL ☐

OTHER ☐

SINGLE ZONE ☐

MULTIPLE ZONE ☐

2. NAME OF OPERATOR

TEXACO INC.

ATTENTION: A. R. Marx

3. ADDRESS OF OPERATOR

Box EE, Cortez, CO 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.)*

At surface

C - NW/4, Sec. 21

At proposed prod. zone

1400' FNL & 1320' FWL

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

Approximately 4 miles NW of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED*

LOCATION TO NEAREST

PROPERTY OR LEASE LINE, FT.

(Also to nearest drlg. unit line, if any) 1320'

16. NO. OF ACRES IN LEASE

18. DISTANCE FROM PROPOSED LOCATION*

TO NEAREST WELL, DRILLING, COMPLETED,

OR APPLIED FOR, ON THIS LEASE, FT. 675'

19. PROPOSED DEPTH

5600'

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

4547' GL

23.

PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17 1/2"	13 3/8"	48#	100'	Circ to surface 370 cu ft
11"	8 5/8"	24#	1420'	Circ to surface 360 cu ft
7 7/8"	5 1/2"	14#; 15.5#	5600'	1st Stage - 354 cu ft
				2nd Stage - 679 cu ft

Propose to drill this infield well in order to gain optimum primary and secondary oil recovery from the Aneth Unit. Samples will be taken at 10' intervals from 5000' to TD. No cores or DST's are planned, logs will be run from surface casing to TD. DV collar to be run below DeChelly and cement to bottom of surface casing. Prospective zones will be perforated and acidized. Blowout preventer equipment will be as indicated on the attached Exhibit and tested at regular intervals. Necessary steps will be taken to protect the environment.

ANETH UNIT INFILL WELLS ESTIMATED TOPS AS PER BLM REQUEST.
E1211 ESTIMATED FORMATION TOPS

Bluff 43'	Summerville 243'	Todilto 313'
Entrada 433'	Navajo 503'	Wingate 863'
Chinle 1357'	DeChelly 2117'	Hermosa 4356'
Ismay 5210'	Desert Creek 5370'	

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED

A. R. Marx

TITLE Field Superintendent

DATE 8-17-84

(This space for Federal or State office use)

PERMIT NO.

APPROVAL DATE

APPROVED BY

TITLE

CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 10/19/84
BY: *John R. Baga*

DIVISION OF OIL, GAS AND MINING

SPODDING INFORMATION

API #43-037-31078

NAME OF COMPANY: TEXACOWELL NAME: Aneth Unit #E-121ISECTION C NW 21 TOWNSHIP 40S RANGE 24E COUNTY San JuanDRILLING CONTRACTOR TrueRIG # 4SPUDDED: DATE 12-23-84TIME 3:00 AMHOW Rotary

DRILLING WILL COMMENCE _____

REPORTED BY HankTELEPHONE # (303) 565-8401DATE 12-24-84 SIGNED GL

RECEIVED

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
4241 State Office Building
Salt Lake City, UT 84114

FEB 4 1985

DIVISION OF OIL
GAS & MINING*REPORT OF WATER ENCOUNTERED DURING DRILLING*

Well Name & Number ANETH UNIT E121E
 Operator TEXACO INC Address P.O. Box EE. COCKER, CO
 Contractor TRUE DRILLING CO Address P.O. Box 2360 CASPER, WYO
 Location S 1 1/4 NW 1/4 Sec. 21 T. 40S R. 24E County SAN JUAN

Water Sands

	<u>Depth</u>		<u>Volume</u>	<u>Quality</u>
	From	To	Flow Rate or Head	Fresh or Salty
1.	<u>~600'</u>	<u>620'</u>	<u>~ 300 BWPD</u>	<u>FRESH</u>
2.				
3.				
4.				
5.				

(Continue on reverse side if necessary)

Formation Tops NAVAJO ~ 600'

Remarks WATER FLOW WAS SHUT OFF WITH CEMENT WHEN SURFACE PIPE WAS CEMENTED.

- NOTE: (a) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure.
- (b) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER		5. LEASE DESIGNATION AND SERIAL NO. 1-149-IND-8836
2. NAME OF OPERATOR TEXACO Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
3. ADDRESS OF OPERATOR P.O. Box EE, Cortez, CO. 81321		7. UNIT AGREEMENT NAME Aneth Unit
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface C-NW/4, Sec. 21 1400' FNL & 1320' FWL Approximately 4 Miles NW of Montezuma Creek, UT		8. FARM OR LEASE NAME Unit
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4547' GL	9. WELL NO. E1211
		10. FIELD AND POOL, OR WILDCAT Aneth Field
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 21, T40S, R24E, SL
		12. COUNTY OR PARISH San Juan
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) Initial Production		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

2/3/85: Pumped 4 Bbls oil, 783 Bbls Water.

RECEIVED

FEB 11 1985

DIVISION OF OIL
GAS & MINING

18. I hereby certify that the foregoing is true and correct

SIGNED

Chas. R. May

TITLE

Field Superintendent

DATE

2/5/85

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

BLM (6) UOGCC (3) JNH, ARM, RJH

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐
2. NAME OF OPERATOR
Texaco Inc. Attn: R. J. Hamilton
3. ADDRESS OF OPERATOR
P. O. Box 2100, Denver, CO 80201
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: C NW/4 Sec. 21-T40S-R24E
AT TOP PROD. INTERVAL: 1400' FNL & 1320' FWL
AT TOTAL DEPTH: Approx. 4 mi. NW of Montezuma Creek, Utah
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

5. LEASE 1-149-IND-8836	
6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo	
7. UNIT AGREEMENT NAME Aneth Unit	
8. FARM OR LEASE NAME Unit	
9. WELL NO. E121I	
10. FIELD OR WILDCAT NAME Aneth Field	
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 21-T40S-R24E	
12. COUNTY OR PARISH San Juan	13. STATE UTah
14. API NO.	
15. ELEVATIONS (SHOW DF, KDB, AND WD) 4547' GR	

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

- ☐
☐
☐
☐
☐
☐
☐
☐
☐

RECEIVED

APR 01 1985

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

**DIVISION OF OIL
GAS & MINING**

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

✓ Spudded at 3:00 a.m. on 12/23/84

Ran 1435' of 8-5/8", 24 #, K55, ST&C, landed casing at 1429'. Cemented with 350 sacks, 65-35 poz mix with 6% gel, 2% CaCl₂ 1/4 #/sack cellophane flakes. Released pressure and float held. Bumped plug at 1:45 a.m. on 12/26/84. No cement to surface. Pumped 200 sacks class "B" with 3% CaCl followed by 150 sacks class "B" neat. No cement to surface; went on vacuum.

Tested BOP equipment. Tested casing to 1000 psi.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED E. C. A. Palmer for R. J. Hamilton TITLE District Manager DATE 3/29/85

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

cc: BLM(4) OGCC(2) JNH-RJH-ARM(2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐
2. NAME OF OPERATOR
Texaco Inc. Attn: R. J. Hamilton
3. ADDRESS OF OPERATOR
P. O. Box 2100, Denver, CO 80201
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
C NW/4 Sec. 21-T40S-R24E
AT SURFACE: 1400' FNL & 1320' FWL
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH: Approx. 4 mi. NW of Montezuma Creek
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

- ☐
☐
☒
☐
☐
☐
☐
☐
☐

RECEIVED

APR 03 1985

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

DIVISION OF OIL
GAS & MINING

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On 1/18/85 perforated Desert Creek intervals 5419'-27', 5438'-42', 5445'-57' spotted with 500 gals, 15% HCl, followed with 5040 gals., 28% HCl with 39 RCN ball sealers. Perforated Desert Creek intervals 5348'-54', 5364'-69', 5378'-5402', with 1 JSPF acidize with 500 gals., 15% HCl. Test annulus held okay. Acidize with 9240 gals., 28% HCl and 45 ball sealers. Pumped 500 gals acid and drop 1 ball every 200 gals. Cement squeeze perfs 5348'-54', 5364'-69', 5378'-5402' Desert Creek 1 JSPF with 50 sacks Class "B", 2% CaCl, .6% LFL. Final squeeze pressure 5000 psi with 25 sacks displaced into perfs, test to 1500 psi. Spotted Desert Creek intervals 5348'-54', 5364'-69', 5378'-94', with 30 bbls, 28% HCl to end of tubing, acidize with 1 bbl. acid each.

On 3/12/85, perforated Desert Creek intervals 5448'-55' with 1 JSPF and acidize with 1000 gals 15% HCl.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED RL Hamilton/EAB TITLE Dist. Manager DATE 3/29/85

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

BLM(4)-OGCC(2)-JNH-RJH-ARM(2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ gas ☐ other ☐
well well
2. NAME OF OPERATOR
Texaco Inc. Attn: R. J. Hamilton
3. ADDRESS OF OPERATOR
P. O. Box 2100, Denver, CO 80201
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: C NW/4 Sec. 21-T40S-S24E
AT TOP PROD. INTERVAL: 1400' FNL & 1320' FWL
AT TOTAL DEPTH: Approx. 4 mi. NW of Montezuma
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) Set production Casing

SUBSEQUENT REPORT OF:

- ☐
☐
☐
☐
☐
☐
☐
☐
☐

RECEIVED

APR 03 1985

DIVISION OF OIL
GAS & MINING

5. LEASE

1-149-IND-8836

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

Aneth Unit

8. FARM OR LEASE NAME

Unit

9. WELL NO.

E1211

10. FIELD OR WILDCAT NAME

Aneth Field

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 21-T40S-R24E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

4547' GL

NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On 1/13/85 set 5-1/2" casing with 137 jts., 14#, 15.5#, J55 ST&C, landed casing at 5591' KB set D.V. at 2664'. Cemented First stage with 675 sacks Howco lite 1/4 # cellophane flakes, 18% NaCl, 6% Halad 9 followed by 400 sacks class "H" 3% KCL, 1/4% friction reducer .8% Halad 9. Bump plug at 2000 psi; and float held. Reciprocate pipe; circulate cement to surface.

Cemented second stage with 475 sacks Howco lite, 1/4 #/sack cellophane flake, 10#/sack Gilsonite, 18% NaCl, .6% Halad 9, followed by 350 sacks Class "B", .6% Halad 9. Cement to surface. D.V. closed and held. Bumped plug at 8:10 PM on 01/13/85.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED R. J. Hamilton / EAB TITLE District Manager DATE 3/29/85

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

cc: BLM(4) OGCC(2) JNH-RJH-ARM(2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other
instructions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL <input checked="" type="checkbox"/>	GAS WELL <input type="checkbox"/>	DRY <input type="checkbox"/>	Other <input type="checkbox"/>		
b. TYPE OF COMPLETION:		NEW WELL <input checked="" type="checkbox"/>	WORK OVER <input type="checkbox"/>	DEEP-EN <input type="checkbox"/>	PLUG BACK <input type="checkbox"/>	DIFF. RESVR. <input type="checkbox"/>	Other <input type="checkbox"/>
2. NAME OF OPERATOR		TEXACO Inc., Operations					
3. ADDRESS OF OPERATOR		P. O. Box 2100, Denver, Colorado 80201					
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)		At surface					
At top prod. interval reported below		C NW 1/4 Sec. 21					
At total depth		1400' FNL & 1320' FWL, Sec. 21					
14. PERMIT NO.		DATE ISSUED					
43-037-31078		10-9-84					
15. DATE SPUDDED	16. DATE T.D. REACHED	17. DATE COMPL. (Ready to prod.)	18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*		19. ELEV. CASINGHEAD		
12-23-84	1-11-85	2-1-85	4562' KB		4550' GR		
20. TOTAL DEPTH, MD & TVD	21. PLUG, BACK T.D., MD & TVD	22. IF MULTIPLE COMPL., HOW MANY*	23. INTERVALS DRILLED BY	ROTARY TOOLS	CABLE TOOLS		
5591'	5418'	-	Surf.-TD	-	-		
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*					25. WAS DIRECTIONAL SURVEY MADE		
Desert Creek Top: 5346'					No		
Bottom: 5418' PBTD							
26. TYPE ELECTRIC AND OTHER LOGS RUN					27. WAS WELL CORED		
SDI, FDC-CNL-GR, micro, KFT					No		
28. CASING RECORD (Report all strings set in well)							
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED		
13-3/8"	48#	102'	17-1/2"	Cement to surface			
8-5/8"	24#	1429'	11"	550 sacks			
5-1/2"	14# & 15.5#	5591'	7-7/8"	1075 sacks			
	DV Tool	2664'		825 sacks			
29. LINER RECORD			30. TUBING RECORD				
SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	5340'	
31. PERFORATION RECORD (Interval, size and number)				32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.			
SEE REVERSE SIDE				SEE REVERSE SIDE			
33.* PRODUCTION							
DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)			WELL STATUS (Producing or shut-in)		
1-22-85		Pumping 1-1/2"			Producing		
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
4-3-85	24	-	→	14.5	12	410	828
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
-	-	→	14.5	12	410	41.0	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)						TEST WITNESSED BY	
Sold						A. R. Marx	
35. LIST OF ATTACHMENTS							
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
SIGNED		TITLE			DATE		
[Signature]		District Manager			5-7-85		

*(See Instructions and Spaces for Additional Data on Reverse Side)

BLM (4)-OGCC(2)-JNH-CRW-DRY-RJH-ARM(2)-Amax-Exxon-Florida-Gulf-Marathon-FP/SCH-Reynolds
Shell-Sun-Tenneco-Union Cal.-Union Tex.-Mobil(2)-Navajo

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
No Cores or DST's were taken.			
PERFORATIONS, ACID & CEMENT SQUEEZES			
On 1-17-85, perforated Desert Creek one JSPF. Acidized with 500 gallons 15% HCL. Swab tested. On 1-28-85, acidized with 9240 gallons 28% HCL with 45 ball sealers. Flow tested and pump tested. Squeezed with 250 sacks cement.			5419-5427, 5438-5422 & 5445-5457' with 5040 gallons 28% HCL with 39 ball sealers. Squeezed with 100 sacks cement.
On 1-23-85, perforated Desert Creek one JSPF. Acidized with 500 gallons 15% HCL. Swab tested. On 1-28-85, acidized with 9240 gallons 28% HCL with 45 ball sealers. Flow tested and pump tested. Squeezed with 250 sacks cement.			5348-5354, 5364-5369 & 5378-5402' with 500 gallons 15% HCL. Swab tested. On 1-28-85, acidized with 9240 gallons 28% HCL with 45 ball sealers. Flow tested and pump tested. Squeezed with 250 sacks cement.
On 2-14-85, reperforated 5348-5354, Acidized with total of 1942 gallons			5364-5369 & 5378-5402' with one JSPF. Pump tested.
On 3-11-85, perforated Desert Creek with 1000 gallons 15% HCL. Pump tested. Set CIBP at 5443' KB and dumped 2-1/2 sacks cement. Pump tested open perfs 5348-5402'.			5448-5455' with one JSPF. Acidized with 1000 gallons 15% HCL. Pump tested. Set CIBP at 5443' KB and dumped 2-1/2 sacks cement. Pump tested open perfs 5348-5402'.

38.

GEOLOGIC MARKERS

NAME	MEAS. DEPTH	TOP	TRUE VERT. DEPTH
DeChelly	2416'		
Hermosa	4407'		
Ismay	5185'		
Desert Creek	5346'		

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS

(Do not use this form for proposals to drill or to deepen or to change to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

RECEIVED
FEB 22 1988

1. ☒ OIL WELL ☐ GAS WELL ☐ OTHER

2. NAME OF OPERATOR
Texaco Inc. (303) 565-8401

3. ADDRESS OF OPERATOR
P. O. Box EE, Cortez, CO. 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface
1400' FWL & 1320' FWL

14. PERMIT NO.
43-037-31078

15. ELEVATIONS (Show whether DT, RT, GR, etc.)
4562' KB

5. LEASE DESIGNATION AND SERIAL NO.
I-149-IND-8836

6. IF INDIAN, ALLOTTEE OR TRIBE NAME
Navajo

7. UNIT AGREEMENT NAME
Aneth Unit

8. FARM OR LEASE NAME
Unit

9. WELL NO.
E121I

10. FIELD AND POOL, OR WILDCAT
Aneth

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 21, T40S, R24E

12. COUNTY OR PARISH
San Juan

13. STATE
Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) *		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Referencing the above subject well, Texaco requests a well name change to E121SE. Please make the necessary changes in your files.

18. I hereby certify that the foregoing is true and correct

SIGNED

Alan A. Klever

TITLE AREA SUPT.

DATE 2/16/88

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

BLM (4) - UOGCO (3) - The Navajo Tribe-Mobil Oil-LAA-AAK

*See Instructions on Reverse Side

DATE: 05/02/91

WELLS BY OPERATOR

PAGE: 91

ACCT NUM	COMPANY NAME	FLD NUM	FIELD NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE	WELL STATUS	ENTITY	WELL NAME		
NO980	TEXACO INC	365	GREATER ANETH	S400	E240	21	NESW	4303730185	IS-DC	POW	7000	ANETH U F321		
				S400	E240	9	SWSW	4303730189	DSCR	POW	7000	ANETH U E409		
				S400	E240	17	NESE	4303730196	DSCR	POW	7000	ANETH U H317		
				S400	E240	20	NENE	4303730198	DSCR	PA	7000	ANETH U H120		
				S400	E250	30	NESE	4303730225	DSCR	POW	7000	ANETH U M330		
				S400	E240	25	SWSE	4303730238	DSCR	POW	7000	ANETH U G425		
				S400	E240	14	SESW	4303730274	DSCR	POW	7000	ANETH U F414		
				S400	E230	13	SWSE	4303730298	DSCR	POW	7000	ANETH U C413		
				S400	E240	26	NENW	4303730310	DSCR	POW	7000	ANETH U F126		
				S400	E240	23	NESE	4303730316	DSCR	TA	7000	ANETH U H323		
				S400	E240	22	NESW	4303730345	DSCR	POW	7000	ANETH U F322		
				S400	E240	26	SWNE	4303730369	DSCR	POW	7000	ANETH U G226		
				S400	E240	35	NESE	4303730412	DSCR	POW	7000	ANETH U H335		
				S400	E230	14	SENW	4303730635	DSCR	POW	7000	ANETH U B214		
				S400	E240	28	NENE	4303730644	IS-DC	SOW	7000	ANETH U H128		
				S400	E250	30	NENW	4303730646	DSCR	POW	7000	ANETH U K130		
				200	FENCE CANYON	S150	E220	26	NESE	4304716198	DKTA	SGW	7015	FENCE CYN U 2
				1	WILDCAT	S140	E090	19	SESE	4300730093	MRSN	WDW	99990	TELONIS #1
				365	GREATER ANETH	S400	E240	9	SESE	4303716324	ISMY	POW	7000	ANETH U H409
						1	WILDCAT	S140	E090	21	NWSW	4300730105	LA	99998
				S150	E090	8	SESE	4300730106	PA	99999	GOV'T E.Y. HOLMES(NCT-1)			
		365	GREATER ANETH	S400	E240	18	SWNW	4303731077	DSCR	POW	7000	ANETH UNIT E118SE		
				S400	E240	21	C-NW	4303731078	DSCR	POW	7000	ANETH UNIT E121SE		
		680	SEEP RIDGE	S140	E220	3	SENE	4304730135	DK-MR	PA	10842	J CHORNEY C-2		
		47	UNNAMED 20-14S9	S140	E090	20	NESE	4300730107	FRSD	SGW	7101	E. G. TELONIS ETAL #1		
		1	WILDCAT	S140	E090	23	NENW	4300730109	LA	99998	STATE OF UTAH #1			
		365	GREATER ANETH	S400	E240	15	NWNW	4303731117	LA	99998	ANETH UNIT #E115			
				S400	E240	16	NENE	4303731118	LA	99998	ANETH UNIT #H116			
				S400	E230	13	C-SE	4303731076	IS-DC	SOW	7000	ANETH UNIT C313SE		
		1	WILDCAT	S310	E240	5	NESW	4303730612	TA	7100	TEX GOVT E CHAMBERS #2			
				S310	E240	6	NENE	4303730572	ISMY	SOW	7100	GOVT EVELYN CHAMBERS #1		
		365	GREATER ANETH	S400	E230	13	SENW	4303715830	DSCR	WIL	7000	BURTON 42-13 (D213)		
				S400	E230	1	SESW	4303715492	ISMY	SOW	7000	HICKMAN FED 1 (B401)		
				S400	E230	13	SWNW	4303715821	DSCR	POW	7000	BURTON 12-13 (A213)		
				S400	E230	13	SWSW	4303715823	DSCR	POW	7000	BURTON 14-13 (A413)		
				S400	E230	13	NESW	4303715826	DSCR	POW	7000	BURTON 23-13 (B313)		
				S400	E230	13	SWNE	4303730173	DSCR	POW	7000	ANETH U C213		
				S400	E230	14	NWNW	4303730634	DSCR	SOW	7000	ANETH U A114		
				S400	E230	14	SWNW	4303716030	DSCR	POW	7000	ARROWHEAD 7 (A214)		
				S400	E230	14	NWSE	4303730637	DSCR	POW	7000	ANETH U C314		
				S400	E230	14	SESE	4303730639	DSCR	SOW	7000	ANETH U D414		
				S400	E240	7	NESE	4303730122	DSCR	POW	7000	ANETH U H307		
				S400	E240	9	SWNW	4303716057	IS-DC	POW	7000	NAV TRB E-18 (E209)		
				S400	E240	8	NESW	4303730176	DSCR	POW	7000	ANETH U F308		
				S400	E240	8	SWSE	4303730152	IS-DC	POW	7000	ANETH U G408		
				S400	E240	9	NWSB	4303716102	ISMY	POW	7000	NAV TRB E-3 (G309)		
				S400	E240	13	NWSW	4303730200	DSCR	POW	7000	ANETH U E313		



Texaco Exploration and Production Inc
Midland Producing Division

P O Box 3109
Midland TX 79702-3109

May 22, 1991

RECEIVED

MAY 28 1991

DIVISION OF
OIL GAS & MINING

Division of Oil, Gas, and Mining
Attn: Ms. Lisha Romero
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane
Assistant Division Manager

RKH/KMM-CC

Attachments

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS, AND MINING

SUBJECT IN TRIPLICATE
(Instructions on reverse side)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO.
2. NAME OF OPERATOR Texaco Exploration and Production Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 46510, Denver, CO 80201		7. UNIT AGREEMENT NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface		8. FARM OR LEASE NAME
14. PERMIT NO.		9. WELL NO.
15. ELEVATIONS (Show whether OF, RT, CR, etc.)		10. FIELD AND POOL, OR WILDCAT
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
		12. COUNTY OR PARISH 13. STATE

DIVISION OF
OIL GAS & MINING

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) Transfer of Plugging Bond <input checked="" type="checkbox"/>	

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) Transfer of Owner/Operator <input type="checkbox"/>	

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Texaco Inc. has assigned all its ownership rights in the subject well. As of January 1, 1991, Texaco Inc. is no longer the Operator of subject well. The New Operator Texaco Exploration and Production Inc. hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Commission for proper plugging and surface restoration of the subject well.

Former Operator:

TEXACO INC.

Signed: [Signature]

Attorney-In-Fact
for Texaco Inc.

Date: 3/1/91

New Operator:

Texaco Exploration and Production Inc.

Signed: [Signature]

Title: Division Manager

Date: 3/1/91

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature]

TITLE Division Manager

DATE 3/1/91

(This space for Federal or State office use)

APPROVED BY _____

TITLE _____

DATE _____

CONDITIONS OF APPROVAL, IF ANY:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugged and abandoned wells.
Use APPLICATION FOR PERMIT— for such proposals

6. Lease Designation and Serial Number																											
7. Indian Allottee or Tribe Name																											
8. Unit or Communitization Agreement																											
1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other (specify)	9. Well Name and Number																										
2. Name of Operator Texaco Exploration and Production Inc.																											
10. API Well Number																											
3. Address of Operator 3300 North Butler, Farmington, NM 87401	4. Telephone Number (505) 325-4397																										
11. Field and Pool, or Wildcat																											
5. Location of Well Footage : County : QQ, Sec. T., R., M. : See Attached State : UTAH																											
12. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA																											
<p style="text-align: center;">NOTICE OF INTENT (Submit in Duplicate)</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Recompletion</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Multiple Completion</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u></td> <td></td> </tr> </table> <p>Approximate Date Work Will Start _____</p>	<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>		<p style="text-align: center;">SUBSEQUENT REPORT (Submit Original Form Only)</p> <table style="width: 100%;"> <tr> <td><input type="checkbox"/> Abandonment *</td> <td><input type="checkbox"/> New Construction</td> </tr> <tr> <td><input type="checkbox"/> Casing Repair</td> <td><input type="checkbox"/> Pull or Alter Casing</td> </tr> <tr> <td><input type="checkbox"/> Change of Plans</td> <td><input type="checkbox"/> Shoot or Acidize</td> </tr> <tr> <td><input type="checkbox"/> Conversion to Injection</td> <td><input type="checkbox"/> Vent or Flare</td> </tr> <tr> <td><input type="checkbox"/> Fracture Treat</td> <td><input type="checkbox"/> Water Shut-Off</td> </tr> <tr> <td><input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u></td> <td></td> </tr> </table> <p>Date of Work Completion _____</p> <p>Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.</p>	<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing	<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize	<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off	<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>	
<input type="checkbox"/> Abandonment	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Recompletion																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Multiple Completion	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Transfer of Plugging Bond</u>																											
<input type="checkbox"/> Abandonment *	<input type="checkbox"/> New Construction																										
<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Pull or Alter Casing																										
<input type="checkbox"/> Change of Plans	<input type="checkbox"/> Shoot or Acidize																										
<input type="checkbox"/> Conversion to Injection	<input type="checkbox"/> Vent or Flare																										
<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Water Shut-Off																										
<input checked="" type="checkbox"/> Other <u>Change of Operator/Operator Name</u>																											

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

This submittal is for a change of operator (name change) for all of the attached wells. The new operator, Texaco Exploration and Production Inc., hereby accepts operating responsibility and liability under its good and sufficient bond or other security accepted by the Department for proper plugging and surface restoration of the attached wells. All contact personnel, office addresses and phone numbers will remain the same.

FORMER OPERATOR: TEXACO INC.

NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.

SIGNED: *R. L. Lane*
Attorney-in-Fact

SIGNED: *R. L. Lane*
Assistant Division Manager

DATE: _____

DATE: _____

14. I hereby certify that the foregoing is true and correct

Name & Signature _____

Title Asst. Div. Manager Date _____

(State Use Only)

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1- LCR/GIL	✓
2- DTS/DTS	✓
3- VLC	✓
4- RJF	✓
5- RWM	✓
6- LCR	✓

Attach all documentation received by the division regarding this change.
Initial each listed item when completed. Write N/A if item is not applicable.

☐ Change of Operator (well sold) ☐ Designation of Agent
☐ Designation of Operator **xxx** Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 1-1-91)
(TEXACO EXPLORATION AND PRODUCTION INC.)

TO (new operator)	<u>TEXACO E & P INC.</u>	FROM (former operator)	<u>TEXACO INC.</u>
(address)	<u>3300 NORTH BUTLER</u>	(address)	<u>3300 NORTH BUTLER</u>
	<u>FARMINGTON, NM 87401</u>		<u>FARMINGTON, NM 87401</u>
	<u>BRENT HELQUIST</u>		<u>FRANK</u>
	phone (505) <u>325-4397</u>		phone (505) <u>325-4397</u>
	account no. <u>N 5700 (6-5-91)</u>		account no. <u>N 0980</u>

Well(s) (attach additional page if needed):

Name: <u>(SEE ATTACHED)</u>	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec. _____	Twp. _____	Rng. _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- See 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (5-28-91)
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- See 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes) no ____ If yes, show company file number: #114097.
- See 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- See 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (6-11-91)
- See 6. Cardex file has been updated for each well listed above.
- See 7. Well file labels have been updated for each well listed above. (will update when filing)
- See 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission.
- See 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins.Co.of N.America rec. 2-11-91.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) yes. Today's date _____ 19____. If yes, division response was made by letter dated _____ 19____. #m157448 80,000-Ins.Co.of N.America

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated _____ 19____, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases. 6-27-91

INDEXING

1. All attachments to this form have been microfilmed. Date: July 15 1991.

FILED

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

REMARKS

- 910606 Btm/Farmington N.M. - Duane Spencer (505) 327-5344 will follow up & call back.
- 910607 Btm/Farmington - Approved 4-2-91 "Company Merger" Includes Aneth Unit and Ismay Flodine Unit.
- 910607 St. Lands approved 4-15-91 "Merger".

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
OIL AND GAS INSPECTION RECORD

OPERATOR: TEXACO E & P INC.

LEASE: INDIAN

WELL NAME: ANETH UNIT E121SE

API: 43-037-31078

SEC/TWP/RNG: 21 40.0 S 24.0 E

CONTRACTOR:

COUNTY: SAN JUAN

FIELD NAME: GREATER ANETH

DRILLING/COMPLETION/WORKOVER:

- APD	- WELL SIGN	- HOUSEKEEPING	- BOPE
- SAFETY	- POLLUTION CNTL	- SURFACE USE	- PITS
- OPERATIONS	- OTHER		

SHUT-IN - / TA -:

- WELL SIGN	- HOUSEKEEPING	- EQUIPMENT *	- SAFETY
- OTHER			

ABANDONED:

- MARKER	- HOUSEKEEPING	- REHAB	- OTHER
----------	----------------	---------	---------

PRODUCTION:

Y WELL SIGN	Y HOUSEKEEPING	Y EQUIPMENT *	Y FACILITIES *
Y METERING *	Y POLLUTION CNTL	Y PITS	Y DISPOSAL
Y SECURITY	Y SAFETY	- OTHER	

GAS DISPOSITION:

- VENTED/FLARED	Y SOLD	- LEASE USE
-----------------	--------	-------------

LEGEND: Y = YES/SATISFACTORY N = NO/UNSATISFACTORY A = NOT APPLICABLE

*FACILITIES INSPECTED:
W/H LOC.

REMARKS:

POW DOWN HOLE ELECTRIC PUMP

ACTION:

INSPECTOR: GLENN GOODWIN

DATE: 09/04/91

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
OIL AND GAS INSPECTION RECORD

OPERATOR: TEXACO E & P INC LEASE: INDIAN
WELL NAME: ANETH UNIT E121SE API: 43-037-31078
SEC/TWP/RNG: 21 40.0 S 24.0 E CONTRACTOR:
COUNTY: SAN JUAN FIELD NAME: GREATER ANETH

DRILLING/COMPLETION/WORKOVER:

<input type="checkbox"/> APD	<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> BOPE
<input type="checkbox"/> SAFETY	<input type="checkbox"/> POLLUTION CNTL	<input type="checkbox"/> SURFACE USE	<input type="checkbox"/> PITS
<input type="checkbox"/> OPERATIONS	<input type="checkbox"/> OTHER		

SHUT-IN / TA :

<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> EQUIPMENT *	<input type="checkbox"/> SAFETY
<input type="checkbox"/> OTHER			

ABANDONED:

<input type="checkbox"/> MARKER	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> REHAB	<input type="checkbox"/> OTHER
---------------------------------	---------------------------------------	--------------------------------	--------------------------------

PRODUCTION:

<input type="checkbox"/> WELL SIGN	<input type="checkbox"/> HOUSEKEEPING	<input type="checkbox"/> EQUIPMENT *	<input type="checkbox"/> FACILITIES *
<input type="checkbox"/> METERING *	<input type="checkbox"/> POLLUTION CNTL	<input type="checkbox"/> PITS	<input type="checkbox"/> DISPOSAL
<input type="checkbox"/> SECURITY	<input type="checkbox"/> SAFETY	<input type="checkbox"/> OTHER	

GAS DISPOSITION:

<input type="checkbox"/> VENTED/FLARED	<input type="checkbox"/> SOLD	<input type="checkbox"/> LEASE USE
--	-------------------------------	------------------------------------

LEGEND: Y = YES/SATISFACTORY N = NO/UNSATISFACTORY A = NOT APPLICABLE

*FACILITIES INSPECTED:
W/H LOC.

REMARKS:

POW REDA DOWN HOLE ELECTRIC PUMP.

ACTION:

INSPECTOR: GLENN GOODWIN

DATE: 07/14/92

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other	5. Lease Designation and Serial No. I-149-IND-8836
2. Name of Operator Texaco Exploration & Production Inc.	6. If Indian, Allottee or Tribe Name Navajo Tribal
3. Address and Telephone No. 3300 N. Butler, Farmington N.M. 87401 (505)325-4397	7. If Unit or CA, Agreement Designation Aneth Unit
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1400' FNL & 1320' FWL NE/NW, Sec. 21, T40S, R24E	8. Well Name and No. E121-I
	9. API Well No. 4303731078
	10. Field and Pool, or Exploratory Area Desert Creek
	11. County or Parish, State San Juan, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

INFORMATION FOR UTAH SEVERANCE TAX CREDIT

Texaco E. & P. Inc. has resized the submersible pump to maximize production.

The pump was resized from a REDA D600 to an ODI RPS-BP submersible pump to more accurately match pumping capacity with the well's productivity and hence help to optimize production.

14. I hereby certify that the foregoing is true and correct

Signed Rached Hindi/TAT

Title Area Manager

Date 9/21/93

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date

Tex Credit 10/29/93

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side



Chevron U.S.A. Production Company
Mid-Continent Business Unit
P.O. Box 36366
Houston, TX 77236
Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

RECEIVED

APR 12 2002

DIVISION OF
OIL, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

4/9/02

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "Don R. Sellars".

Don R. Sellars

Sr. Environmental Specialist

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	11	400S	230E	4303716037	MESA 2 (ANTH D311)	1	S	OW
N5700	12	400S	230E	4303715822	BURTON 14-12 (A412)	1	P	OW
N5700	12	400S	230E	4303715829	BURTON 34-12 (C412)	1	P	OW
N5700	12	400S	230E	4303715831	BURTON 43-12 (D312)	1	P	OW
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	A	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	I	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	A	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	A	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	A	WI
N5700	12	400S	230E	4303731537	ANETH B412	1	S	OW
N5700	13	400S	230E	4303715821	BURTON 12-13 (A213)	1	P	OW
N5700	13	400S	230E	4303715823	BURTON 14-13 (A413)	1	P	OW
N5700	13	400S	230E	4303715824	BURTON 21-13 (B113)	1	S	OW
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	A	WI
N5700	13	400S	230E	4303715826	ANETH UNIT B313	1	P	OW
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	A	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	A	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	A	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	A	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	A	WI
N5700	13	400S	230E	4303730162	ANETH U D313	1	S	OW
N5700	13	400S	230E	4303730173	ANETH U C213	1	P	OW
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	A	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	A	WI
N5700	13	400S	230E	4303730298	ANETH U C413	1	P	OW
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	A	WI
N5700	13	400S	230E	4303731076	ANETH UNIT C313SE	1	S	OW
N5700	13	400S	230E	4303731382	ANETH UNIT D-113SE	2	P	OW
N5700	13	400S	230E	4303731383	ANETH UNIT D213SE	1	P	OW
N5700	14	400S	230E	4303716030	ARROWHEAD 7 (A214)	1	P	OW
N5700	14	400S	230E	4303716031	ARROWHEAD 8 (A414)	1	S	OW

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	A	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	A	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	A	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	A	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	A	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	A	WI
N5700	14	400S	230E	4303730634	ANETH U A114	1	S	OW
N5700	14	400S	230E	4303730635	ANETH U B214	1	P	OW
N5700	14	400S	230E	4303730636	ANETH U C114	1	S	OW
N5700	14	400S	230E	4303730637	ANETH U C314	1	P	OW
N5700	14	400S	230E	4303730638	ANETH U D214	1	P	OW
N5700	14	400S	230E	4303730639	ANETH U D414	1	S	OW
N5700	23	400S	230E	4303716036	AW RICE 1 (D123)	1	P	OW
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	A	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	A	WI
N5700	24	400S	230E	4303715701	FED B-1 (D124)	1	P	OW
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	A	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	A	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	A	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	A	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	I	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI
N5700	07	400S	240E	4303730115	ANETH U F307	1	P	OW
N5700	07	400S	240E	4303730122	ANETH U H307	2	P	OW
N5700	07	400S	240E	4303730151	ANETH U G407	1	P	OW
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	07	400S	240E	4303731386	ANETH UNIT E407SW	1	P	OW
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	A	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	A	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	08	400S	240E	4303730152	ANETH U G408	2	P	OW
N5700	08	400S	240E	4303730159	ANETH U E408	2	P	OW
N5700	08	400S	240E	4303730176	ANETH U F308	2	P	OW
N5700	08	400S	240E	4303730177	ANETH U H308	2	P	OW
N5700	08	400S	240E	4303730178	ANETH U G208	2	P	OW
N5700	09	400S	240E	4303716057	NAV TRB E-18 (E209)	2	P	OW
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	A	WI
N5700	09	400S	240E	4303716102	NAV TRB E-3 (G309)	2	P	OW
N5700	09	400S	240E	4303716324	ANETH H 409	2	P	OW
N5700	09	400S	240E	4303730189	ANETH U E409	2	P	OW
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	I	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	A	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	A	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	A	WI
N5700	11	400S	240E	4303730217	ANETH UNIT F411	2	P	OW
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	A	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	A	WI
N5700	13	400S	240E	4303730200	ANETH U E313	2	P	OW
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	A	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	A	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	A	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	A	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	A	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303730093	ANETH UNIT E114	2	P	OW
N5700	14	400S	240E	4303730123	ANETH UNIT H414 (MULTI-LEG)	2	P	OW

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	14	400S	240E	4303730218	ANETH UNIT G114	2	P	OW
N5700	14	400S	240E	4303730230	ANETH UNIT G314	2	P	OW
N5700	14	400S	240E	4303730250	ANETH U F214	2	P	OW
N5700	14	400S	240E	4303730266	ANETH UNIT E314	2	P	OW
N5700	14	400S	240E	4303730274	ANETH UNIT F414	2	P	OW
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	14	400S	240E	4303731684	ANETH UNIT F214SE	2	P	OW
N5700	15	400S	240E	4303716058	NAV TRB E-2 (E215)	2	P	OW
N5700	15	400S	240E	4303716073	NAV TRB E-6 (E415)	2	P	OW
N5700	15	400S	240E	4303716074	NAV TRB E-12 (F115)	2	S	OW
N5700	15	400S	240E	4303716088	NAVAJO TRIBAL E-9 (ANETH G115)	2	P	OW
N5700	15	400S	240E	4303716116	ANETH G-415	2	A	WI
N5700	15	400S	240E	4303716126	NAV TRB E-1 (H415)	2	P	OW
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	A	WI
N5700	15	400S	240E	4303730066	ANETH U G215	2	S	OW
N5700	15	400S	240E	4303730213	ANETH E-315	2	A	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	A	WI
N5700	15	400S	240E	4303731396	ANETH UNIT E115	2	P	OW
N5700	15	400S	240E	4303731397	ANETH UNIT F215	2	P	OW
N5700	15	400S	240E	4303731398	ANETH UNIT F415	2	P	OW
N5700	15	400S	240E	4303731408	ANETH UNIT G315X	2	P	OW
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	A	WI
N5700	16	400S	240E	4303715833	ST THREE 12-16(E216)	3	P	OW
N5700	16	400S	240E	4303715834	ST THREE 14-16(E416)	3	P	OW
N5700	16	400S	240E	4303715835	ST THREE 32-16(G216)	3	P	OW
N5700	16	400S	240E	4303715836	ST THREE 34-16(G416)	3	P	OW
N5700	16	400S	240E	4303715837	ST THREE 43-16(H316)	3	P	OW
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	A	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	A	WI
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	A	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303730107	ANETH G-316	3	A	WI
N5700	16	400S	240E	4303730212	ANETH U F216	3	P	OW
N5700	16	400S	240E	4303730333	ANETH F-416	3	A	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	A	WI
N5700	16	400S	240E	4303731409	ANETH UNIT H116	3	P	OW
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	A	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	A	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	A	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	A	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	A	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	A	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	A	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	A	WI
N5700	17	400S	240E	4303730134	ANETH U E417	2	P	OW
N5700	17	400S	240E	4303730139	ANETH U F317	2	P	OW
N5700	17	400S	240E	4303730142	ANETH U E217	2	P	OW
N5700	17	400S	240E	4303730144	ANETH U G417	2	P	OW
N5700	17	400S	240E	4303730153	ANETH U H117	2	P	OW
N5700	17	400S	240E	4303730160	ANETH U F117	2	P	OW
N5700	17	400S	240E	4303730166	ANETH U G217	2	P	OW
N5700	17	400S	240E	4303730196	ANETH U H317	2	P	OW
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	A	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	A	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	A	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	A	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	A	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	A	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	A	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	A	WI
N5700	18	400S	240E	4303730131	ANETH U G218	2	P	OW
N5700	18	400S	240E	4303730132	ANETH U G418	2	P	OW
N5700	18	400S	240E	4303730136	ANETH U H318	2	P	OW

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	18	400S	240E	4303730137	ANETH U E218	1	A	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	A	WI
N5700	18	400S	240E	4303730157	ANETH U H118	2	P	OW
N5700	18	400S	240E	4303730165	ANETH U E418	1	P	OW
N5700	18	400S	240E	4303730169	ANETH U F318	2	P	OW
N5700	18	400S	240E	4303731077	ANETH UNIT E118SE	1	P	OW
N5700	18	400S	240E	4303731385	ANETH UNIT E218SE	1	P	OW
N5700	18	400S	240E	4303731534	ANETH E407SE	1	P	OW
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	A	WI
N5700	19	400S	240E	4303716081	NAV TRB D-29(F319)	2	P	OW
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	A	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	A	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	A	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	A	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	A	WI
N5700	19	400S	240E	4303730133	ANETH U H119	2	P	OW
N5700	19	400S	240E	4303730167	ANETH U G219	2	P	OW
N5700	19	400S	240E	4303730168	ANETH U H319	2	P	OW
N5700	19	400S	240E	4303730197	ANETH U F119	2	P	OW
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	A	WI
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	A	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	A	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	A	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	A	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	A	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	A	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	A	WI
N5700	20	400S	240E	4303730135	ANETH U F120	2	P	OW
N5700	20	400S	240E	4303730150	ANETH U E220	2	P	OW
N5700	20	400S	240E	4303730154	ANETH U H320	2	P	OW
N5700	20	400S	240E	4303730156	ANETH U G220	2	P	OW
N5700	20	400S	240E	4303730164	ANETH U F320	2	P	OW

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	20	400S	240E	4303730228	ANETH U G420	2	P	OW
N5700	20	400S	240E	4303730404	ANETH U H120X	2	P	OW
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	A	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	A	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	A	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	A	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	A	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	A	WI
N5700	21	400S	240E	4303730117	ANETH U F121	2	P	OW
N5700	21	400S	240E	4303730181	ANETH U E221	2	P	OW
N5700	21	400S	240E	4303730183	ANETH U H121	2	P	OW
N5700	21	400S	240E	4303730185	ANETH U F321	2	P	OW
N5700	21	400S	240E	4303730188	ANETH U E421	2	P	OW
N5700	21	400S	240E	4303730214	ANETH U G421	2	P	OW
N5700	21	400S	240E	4303730216	ANETH U H321	2	P	OW
N5700	21	400S	240E	4303730335	ANETH G-121X	2	A	WI
N5700	21	400S	240E	4303730516	ANETH U G221X	2	P	OW
N5700	21	400S	240E	4303731078	ANETH UNIT E121SE	2	P	OW
N5700	22	400S	240E	4303716059	NAV TRB D-9 (E222)	2	P	OW
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	A	WI
N5700	22	400S	240E	4303716075	NAV TRB D-11 (F122)	2	P	OW
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	A	WI
N5700	22	400S	240E	4303716099	NAV TRB D-1 (G222)	2	P	OW
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	A	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	A	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	A	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	A	WI
N5700	22	400S	240E	4303730345	ANETH U F322	2	P	OW
N5700	22	400S	240E	4303730346	ANETH U E422	2	P	OW
N5700	22	400S	240E	4303730373	ANETH F-222	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	22	400S	240E	4303730375	ANETH U G422	2	P	OW
N5700	22	400S	240E	4303730407	ANETH U H322	2	P	OW
N5700	22	400S	240E	4303730425	ANETH G-122	2	A	WI
N5700	23	400S	240E	4303716052	NAV TRB C-2 (E123)	2	P	OW
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	A	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	A	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	A	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	A	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	A	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	A	WI
N5700	23	400S	240E	4303730219	ANETH U E223	2	P	OW
N5700	23	400S	240E	4303730223	ANETH U H123	2	P	OW
N5700	23	400S	240E	4303730226	ANETH U G223	2	P	OW
N5700	23	400S	240E	4303730234	ANETH U F323	2	P	OW
N5700	23	400S	240E	4303730235	ANETH F-123	2	A	WI
N5700	23	400S	240E	4303730311	ANETH UNIT G423 (MULTI-LEG)	2	P	OW
N5700	23	400S	240E	4303730316	ANETH U H323	2	P	OW
N5700	23	400S	240E	4303730370	ANETH U E423	2	P	OW
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	A	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	A	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	A	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	A	WI
N5700	24	400S	240E	4303730231	ANETH U E224	2	P	OW
N5700	24	400S	240E	4303730334	ANETH U G424	2	P	OW
N5700	24	400S	240E	4303730349	ANETH U F324	2	P	OW
N5700	24	400S	240E	4303730350	ANETH U E424	2	P	OW
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	A	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	A	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	A	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	A	WI
N5700	25	400S	240E	4303730221	ANETH U F125	2	P	OW
N5700	25	400S	240E	4303730222	ANETH U G225	2	P	OW
N5700	25	400S	240E	4303730233	ANETH U E225	2	P	OW
N5700	25	400S	240E	4303730237	ANETH UNIT F325	2	P	OW
N5700	25	400S	240E	4303730238	ANETH U G425	2	P	OW
N5700	25	400S	240E	4303730239	ANETH UNIT H325	2	P	OW
N5700	25	400S	240E	4303730308	ANETH U H125	2	P	OW
N5700	25	400S	240E	4303730343	ANETH UNIT E425	2	P	OW
N5700	25	400S	240E	4303730374	ANETH U G325X	2	P	OW
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	A	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	A	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	A	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	A	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	A	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	A	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	A	WI
N5700	26	400S	240E	4303730220	ANETH U E426	2	P	OW
N5700	26	400S	240E	4303730232	ANETH U F326	2	P	OW
N5700	26	400S	240E	4303730236	ANETH U G426	2	P	OW
N5700	26	400S	240E	4303730310	ANETH UNIT F126	2	P	OW
N5700	26	400S	240E	4303730348	ANETH U H126	2	P	OW
N5700	26	400S	240E	4303730368	ANETH U H326	2	P	OW
N5700	26	400S	240E	4303730369	ANETH U G226	2	P	OW
N5700	26	400S	240E	4303730371	ANETH U E226	2	P	OW
N5700	26	400S	240E	4303730372	ANETH G-126X	2	A	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	I	WI
N5700	27	400S	240E	4303716226	ANETH A 27-03 (G327)	2	P	OW
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	A	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	A	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	A	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	27	400S	240E	4303730643	ANETH U H127	2	P	OW
N5700	27	400S	240E	4303730718	ANETH U F127	2	P	OW
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	A	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	A	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	A	WI
N5700	28	400S	240E	4303730644	ANETH U H128	2	S	OW
N5700	28	400S	240E	4303730728	ANETH U F128	2	P	OW
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	A	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	A	WI
N5700	29	400S	240E	4303716114	NAV TRB AB-1 (G329)	2	P	OW
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	A	WI
N5700	29	400S	240E	4303730187	ANETH U F129	2	P	OW
N5700	29	400S	240E	4303731529	ANETH H129	2	P	OW
N5700	33	400S	240E	4303716229	ANETH 33-D4 (H433)	2	P	OW
N5700	34	400S	240E	4303716225	ANETH 34-C1 (G134)	2	P	OW
N5700	34	400S	240E	4303716227	ANETH 34-C3 (G334)	2	P	OW
N5700	34	400S	240E	4303716230	ANETH 34-D4 (H434)	2	S	OW
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716056	NAVAJO TRIBE Q-3 (E135)	2	P	OW
N5700	35	400S	240E	4303716072	NAVAJO TRIBE Q-2 (E335)	2	P	OW
N5700	35	400S	240E	4303716115	NAV TRB Q-6 (G335)	2	P	OW
N5700	35	400S	240E	4303716130	NAVAJO TRIBE Q-7 (H435)	2	P	OW
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	A	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	A	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	A	WI
N5700	35	400S	240E	4303730412	ANETH U H335	2	P	OW
N5700	35	400S	240E	4303731531	ANETH H135	2	P	OW
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	A	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	A	WI

Chevron U.S.A. Inc.
Permian Business Unit
Aneth Operations
San Juan County, Utah

Name / Operatorship Change
Texaco Exploration and Production Inc.
to
Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	A	WI
N5700	36	400S	240E	4303730227	ANETH U H136	2	P	OW
N5700	36	400S	240E	4303730409	ANETH U F136	2	P	OW
N5700	36	400S	240E	4303730410	ANETH U G236	2	P	OW
N5700	36	400S	240E	4303730716	ANETH U E236	2	P	OW
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	A	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	A	WI
N5700	29	400S	250E	4303730645	ANETH U J229	2	S	OW
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	A	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	A	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	A	WI
N5700	30	400S	250E	4303716138	NAV TRB F-12 (L130)	2	P	OW
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	A	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	A	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	A	WI
N5700	30	400S	250E	4303730224	ANETH U K330	2	P	OW
N5700	30	400S	250E	4303730225	ANETH U M330	2	P	OW
N5700	30	400S	250E	4303730240	ANETH UNIT J230	2	P	OW
N5700	30	400S	250E	4303730241	ANETH U L230	2	P	OW
N5700	30	400S	250E	4303730243	ANETH U J430	2	P	OW
N5700	30	400S	250E	4303730646	ANETH U K130	2	P	OW
N5700	30	400S	250E	4303730648	ANETH U L430	2	P	OW
N5700	30	400S	250E	4303730649	ANETH U M130	2	P	OW
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	A	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	A	WI
N5700	31	400S	250E	4303730413	ANETH U J231	2	P	OW
N5700	31	400S	250E	4303730647	ANETH U K131	2	P	OW

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Operator Name Change</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
2. NAME OF OPERATOR: Chevron U.S.A. Inc.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: BLM & State of Utah
3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236		7. UNIT or CA AGREEMENT NAME: Orangeville & Huntington
4. LOCATION OF WELL FOOTAGES AT SURFACE: See Attached List of Wells		8. WELL NAME and NUMBER: See Attached List of Wells
5. PHONE NUMBER: (281) 561-3443		9. API NUMBER:
6. QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		10. FIELD AND POOL, OR WILDCAT:

COUNTY: Emery

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG-AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: <u>Operator Name Change (Merger)</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached list of subject wells and leases that were previously operated by Texaco Exploration and Production Inc. The subject wells are located North of Orangeville and North of Huntington, Emery County, Utah. These Wells will be protected by the following surety bonds:

STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This bond will replace United Pacific Insurance Company bond number U89-75-80-0059. We respectfully request this bond be released and returned.)

BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.

Key Contacts:

Ron Wirth - Operations Supervisor - 435 748-5395 x1
Texaco Exploration & Production Inc.

J. S. Purdy, Attorney-In-Fact

RECEIVED

MAY 06 2002

DIVISION OF
OIL, GAS AND MINING

NAME (PLEASE PRINT) <u>Allen S. Robinson</u>	TITLE <u>Attorney-In-Fact</u>
SIGNATURE <u>[Signature]</u>	DATE <u>April 30, 2002</u>

This space for State use only)

**THE
NAVAJO
NATION****MINERALS DEPARTMENT**

Post Office Box 1910

Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE
PRESIDENT**TAYLOR MCKENZIE, M.D.**
VICE PRESIDENT

October 11, 2002

Mr. Don Sellars
Regulatory Specialist
ChevronTexaco
11111 S. Wilcrest
Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

- | | | |
|---------------------|---------------------|----------------------|
| 1) I-149-IND-8834 | 6) I-149-IND-8839 | 11) 14-20-603-4035 |
| 2) I-149-IND-8835 | 7) 14-20-603-2057 | 12) 14-20-603-4037 |
| 3) I-149-IND-8836 | 8) 14-20-603-2059 | 13) 14-20-603-5043-A |
| 4) I-149-IND-8838 | 9) 14-20-603-4030-A | 14) 14-20-603-5446 |
| 5) I-149-IND-8839-A | 10) 14-20-603-4032 | |

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman
Akhtar Zaman, Director
Minerals Department

Attachments
AZ/GLB/cab

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW. ✓
3. FILE

Change of Operator (Well Sold)

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has changed, effective: **05-01-2002**

FROM: (Old Operator):	TO: (New Operator):
TEXACO EXPLORATION & PRODUCTION INC	CHEVRON USA INC
Address: 3300 NORTH BUTLER, STE 100	Address: P O BOX 36366
FARMINGTON, NM 87401	HOUSTON, TX 79702
Phone: 1-(505)-325-4397	Phone: 1-(915)-687-2000
Account No. N5700	Account No. N0210

CA No.

Unit: ANETH

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ANETH U G420	20-40S-24E	43-037-30228	7000	INDIAN	OW	P
ANETH U H120X	20-40S-24E	43-037-30404	7000	INDIAN	OW	P
ANETH U F121	21-40S-24E	43-037-30117	7000	INDIAN	OW	P
ANETH U E221	21-40S-24E	43-037-30181	7000	INDIAN	OW	P
ANETH U H121	21-40S-24E	43-037-30183	7000	INDIAN	OW	P
ANETH U F321	21-40S-24E	43-037-30185	7000	INDIAN	OW	P
ANETH U E421	21-40S-24E	43-037-30188	7000	INDIAN	OW	P
ANETH U G421	21-40S-24E	43-037-30214	7000	INDIAN	OW	P
ANETH U H321	21-40S-24E	43-037-30216	7000	INDIAN	OW	P
ANETH U G221X	21-40S-24E	43-037-30516	7000	INDIAN	OW	P
ANETH UNIT E121SE	21-40S-24E	43-037-31078	7000	INDIAN	OW	S
NAV TRB D-9 (E222)	22-40S-24E	43-037-16059	7000	INDIAN	OW	P
NAV TRB D-11 (F122)	22-40S-24E	43-037-16075	7000	INDIAN	OW	P
NAV TRB D-1 (G222)	22-40S-24E	43-037-16099	7000	INDIAN	OW	P
ANETH U F322	22-40S-24E	43-037-30345	7000	INDIAN	OW	P
ANETH U E422	22-40S-24E	43-037-30346	7000	INDIAN	OW	P
ANETH U G422	22-40S-24E	43-037-30375	7000	INDIAN	OW	P
ANETH U H322	22-40S-24E	43-037-30407	7000	INDIAN	OW	P
NAV TRB C-2 (E123)	23-40S-24E	43-037-16052	7000	INDIAN	OW	P
ANETH U E223	23-40S-24E	43-037-30219	7000	INDIAN	OW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-2-10) Sundry or legal documentation was received from the **FORMER** operator on: 05/06/2002
2. (R649-2-10) Sundry or legal documentation was received from the **NEW** operator on: 04/12/2002
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 10/16/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 564408-0143
5. If **NO**, the operator was contacted on: N/A

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 10/22/2002

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 10/22/2002

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: U8975810026

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A

2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc although all the Utah operations will be operated by Chevron USA Inc.

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection wells</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See Attachment</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u> PHONE NUMBER: <u>(303) 534-4600</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See Attachment</u> QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____		8. WELL NAME and NUMBER: <u>See Attachment</u>
		9. API NUMBER: <u>See Attach</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Desert Creek</u>
		COUNTY: <u>San Juan</u>
		STATE: <u>UTAH</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of Operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as Operator of the Aneth Unit. The successor operator is Resolute Natural Resources Company.

NAME (PLEASE PRINT) <u>Jane Pasque</u>	TITLE <u>Vice President</u>
SIGNATURE <u>Jane Pasque</u>	DATE <u>11/30/04</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>See attached exhibit.</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached exhibit.</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Aneth Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: <u>San Juan</u>		8. WELL NAME and NUMBER: <u>See attached exhibit.</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: <u>UTAH</u>		9. API NUMBER: <u>See attached exhibit.</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Aneth</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: <u>Change of operator</u>
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

As of December 1, 2004, Chevron U.S.A. Inc. resigned as operator of the Aneth Unit. Resolute Natural Resources Company has been elected the successor operator.

RECEIVED

DEC 22 2004

DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Chevron U.S.A. Inc.</u> <u>110210</u>	TITLE <u>A. E. Wacker, Attorney-in-Fact</u>
SIGNATURE <u>A. E. Wacker</u>	DATE <u>12/20/2004</u>

(This space for State use only)

APPROVED 12/29/2004
ER
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Chevron USA to Resolute Natural Resources

D124	4303715701	SI Producer	NE	NE	24	T40S	R23E	520' FNL / 660' FEL	SL-0701010-C	See Attached SI and TA Well Status Spreadsheet
A213	4303715821	Producer	SW	NW	13	T40S	R23E	3287' FSL / 4631' FEL	SL-070968-A	
A412	4303715822	SI Producer	SW	SW	12	T40S	R23E	659' FSL / 4474' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
A413	4303715823	Producer	SW	SW	13	T40S	R23E	657' FSL / 4631' FEL	SL-070968-A	
B113	4303715824	Producer	NE	NW	13	T40S	R23E	4602' FSL / 3311' FEL	SL-070968-A	
B313	4303715826	Producer	NE	SW	13	T40S	R23E	1972' FSL / 3302' FEL	SL-070968-A	
C412	4303715829	Producer	SW	SE	12	T40S	R23E	4606' FNL / 1980' FEL	SL-070968-A	
D312	4303715831	Producer	NE	SE	12	T40S	R23E	3290' FNL / 660' FEL	SL-070968-A	
E216	4303715833	Producer	SW	NW	16	T40S	R24E	2128' FNL / 662' FWL	NOG 99041323	
E416	4303715834	Producer	SW	SW	16	T40S	R24E	442' FSL / 721' FWL	NOG 99041323	
G216	4303715835	Producer	SW	NE	16	T40S	R24E	1975' FNL / 3304' FWL	NOG 99041323	
G416	4303715836	Producer	SW	SE	16	T40S	R24E	660' FSL / 1980' FEL	NOG 99041323	
H316	4303715837	Producer	NE	SE	16	T40S	R24E	1980' FSL / 662' FEL	NOG 99041323	
A214	4303716030	TA Producer	SW	NW	14	T40S	R23E	1980' FNL / 740' FWL	SL-070968	See Attached SI and TA Well Status Spreadsheet
A414	4303716031	SI Producer	SW	SW	14	40S	23E	820' FSL / 740' FWL	UTSL 070968	
D123	4303716036	Producer	NE	NE	23	T40S	R23E	660' FNL / 660' FEL	SL-0701010	
D311	4303716037	SI Producer	NE	SE	11	40S	23E	1980' FSL / 660' FEL	UTSL 070968B	
E123	4303716052	Producer	NW	NW	23	T40S	R24E	660' FNL / 660' FWL	I-149-IND-8838	
E135	4303716056	SI Producer	NW	NW	35	T40S	R24E	760' FNL / 703' FWL	14-20-603-2059	See Attached SI and TA Well Status Spreadsheet
E209	4303716057	Producer	SW	NW	9	T40S	R24E	2105' FNL / 670' FWL	I-149-IND-8834	
E215	4303716058	Producer	SW	NW	15	T40S	R24E	2109' FNL / 505' FWL	I-149-IND-8834	
E222	4303716059	Producer	SW	NW	22	T40S	R24E	1960' FNL / 770' FWL	I-149-IND-8836	
E335	4303716072	SI Producer	NW	SW	35	T40S	R24E	1900' FSL / 820' FWL	14-20-603-2059	See Attached SI and TA Well Status Spreadsheet
E415	4303716073	Producer	SW	SW	15	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8834	
F122	4303716075	Producer	NE	NW	22	T40S	R24E	660' FNL / 1980' FWL	I-149-IND-8836	
F319	4303716081	Producer	NE	SW	19	T40S	R24E	1940' FSL / 2055' FWL	I-149-IND-8836	
G115	4303716088	Producer	NW	NE	15	T40S	R24E	660' FNL / 1980' FEL	I-149-IND-8834	
G222	4303716099	Producer	SW	NE	22	T40S	R24E	1890' FNL / 2140' FEL	I-149-IND-8836	
G309	4303716102	Producer	NW	SE	9	T40S	R24E	2080' FSL / 1990' FEL	I-149-IND-8834	
G329	4303716114	Producer	NW	SE	29	T40S	R24E	2045' FSL / 2125' FEL	14-20-603-5043	
G335	4303716115	Producer	NW	SE	35	T40S	R24E	1830' FSL / 1820' FEL	14-20-603-2059	
H415	4303716126	Producer	SE	SE	15	T40S	R24E	815' FSL / 812' FEL	I-149-IND-8834	
H435	4303716130	Producer	SE	SE	35	T40S	R24E	510' FSL / 725' FEL	14-20-603-2059	
L130	4303716138	Producer	NW	NE	30	T40S	R25E	745' FNL / 1900' FEL	I-149-IND-8839	
G134	4303716225	Producer	NW	NE	34	T40S	R24E	540' FNL / 2000' FEL	14-20-603-2056	S
G327	4303716226	Producer	NW	SE	27	T40S	R24E	2075' FSL / 1800' FEL	14-20-603-2056	
G334	4303716227	SI Producer	NW	SE	34	T40S	R24E	1980' FSL / 2130' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H433	4303716229	SI Producer	SE	SE	33	T40S	R24E	745' FSL / 605' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H434	4303716230	SI Producer	SE	SE	34	T40S	R24E	700' FSL / 500' FEL	14-20-603-2056	See Attached SI and TA Well Status Spreadsheet
H114	4303716310	Producer	NE	NE	14	T40S	R24E	730' FNL / 690' FEL	I-149-IND-8839	
H409	4303716324	Producer	SE	SE	9	T40S	R24E	660' FSL / 660' FEL	I-149-IND-8834	
G215	4303730066	SI Producer	SW	NE	15	T40S	R24E	2415' FNL / 1850' FEL	I-149-IND-8834	See Attached SI and TA Well Status Spreadsheet
E114	4303730093	Producer	NW	NW	14	T40S	R24E	500' FNL / 100' FWL	I-149-IND-8837	
F307	4303730115	SI Producer	NE	SW	7	T40S	R24E	2290' FSL / 1860' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
F121	4303730117	Producer	NE	NW	21	T40S	R24E	50' FNL / 2150' FWL	I-149-IND-8836	
H307	4303730122	TA Producer	NE	SE	7	T40S	R24E	2120' FSL / 980' FEL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet

Chevron USA to Resolute Natural Resources

H414	4303730123	Producer	SE	SE	14	40S	24E	300' FSL / 500' FEL	I-149-IND-8839	
G218	4303730131	Producer	SW	NE	18	T40S	R24E	1870' FNL / 2050' FEL	I-149-IND-8835	
G418	4303730132	Producer	SW	SE	18	T40S	R24E	760' FSL / 1950' FEL	I-149-IND-8835	
H119	4303730133	Producer	NE	NE	19	T40S	R24E	695' FNL / 570' FEL	I-149-IND-8836	
E417	4303730134	Producer	SW	SW	17	T40S	R24E	710' FSL / 630' FWL	I-149-IND-8835	
F120	4303730135	Producer	NE	NW	20	T40S	R24E	710' FNL / 1980' FWL	I-149-IND-8836	
H318	4303730136	Producer	NE	SE	18	T40S	R24E	1980' FSL / 610' FEL	I-149-IND-8835	
F317	4303730139	Producer	NE	SW	17	T40S	R24E	1980' FSL / 2140' FWL	I-149-IND-8835	
E217	4303730142	Producer	SW	NW	17	T40S	R24E	1980' FNL / 550' FWL	I-149-IND-8835	
G417	4303730144	Producer	SW	SE	17	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8835	
E220	4303730150	Producer	SW	NW	20	T40S	R24E	1956' FNL / 584' FWL	I-149-IND-8836	
G407	4303730151	Producer	SW	SE	7	T40S	R24E	650' FSL / 1960' FEL	SL-067807	
G408	4303730152	Producer	SW	SE	8	T40S	R24E	774' FSL / 1991' FEL	I-149-IND-8834	
H117	4303730153	Producer	NE	NE	17	T40S	R24E	866' FNL / 785' FEL	I-149-IND-8833	
H320	4303730154	Producer	NE	SE	20	T40S	R24E	2036 FSL / 650' FEL	I-149-IND-8836	
G220	4303730156	Producer	SW	NE	20	T40S	R24E	1860' FNL / 2086' FEL	I-149-IND-8833	
H118	4303730157	Producer	NE	NE	18	T40S	R24E	626' FNL / 650' FEL	I-149-IND-8835	
E408	4303730159	TA Producer	SW	SW	8	T40S	R24E	650' FSL / 626' FWL	I-149-IND-8833	See Attached SI and TA Well Status Spreadsheet
F117	4303730160	SI Producer	NE	NW	17	T40S	R24E	522' FNL / 1956' FWL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet
D313	4303730162	TA Producer	NE	SE	13	T40S	R23E	1987' FSL / 782' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
F320	4303730164	Producer	NE	SW	20	T40S	R24E	2130' FSL / 1950' FWL	I-149-IND-8836	
E418	4303730165	Producer	SW	SW	18	T40S	R24E	978' FSL / 216' FWL	SL-067807	
G217	4303730166	TA Producer	SW	NE	17	T40S	R24E	2170' FNL / 1860' FEL	I-149-IND-8835	See Attached SI and TA Well Status Spreadsheet
G219	4303730167	Producer	SW	NE	19	T40S	R24E	1989' FNL / 1923' FEL	I-149-IND-8836	
H319	4303730168	Producer	NE	SE	19	T40S	R24E	2086' FSL / 593' FEL	I-149-IND-8836	
F318	4303730169	Producer	NE	SW	18	T40S	R24E	1578' FSL / 1773' FWL	I-149-IND-8835	
C213	4303730173	Producer	SW	NE	13	T40S	R23E	1898' FNL / 1815' FEL	SL-070968-A	
F308	4303730176	Producer	NE	SW	8	T40S	R24E	1880' FSL / 1980' FWL	I-149-IND-8833	
H308	4303730177	TA Producer	NE	SE	8	T40S	R24E	1890' FSL / 660' FEL	I-149-IND-8834	See Attached SI and TA Well Status Spreadsheet
G208	4303730178	TA Producer	SW	NE	8	T40S	R24E	1939' FNL / 1939' FEL	I-149-IND-8833	See Attached SI and TA Well Status Spreadsheet
E221	4303730181	Producer	SW	NW	21	T40S	R24E	1898' FNL / 619' FWL	I-149-IND-8836	
H121	4303730183	Producer	NE	NE	21	T40S	R24E	520' FNL / 760' FEL	I-149-IND-8836	
F321	4303730185	Producer	NE	SW	21	T40S	R24E	1980' FSL / 1720' FWL	I-149-IND-8836	
F129	4303730187	Producer	NE	NW	29	T40S	R24E	550' FNL / 1690'FWL	14-20-603-4030-A	
E421	4303730188	Producer	SW	SW	21	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8836	
E409	4303730189	Producer	SW	SW	9	T40S	R24E	910' FSL / 330' FWL	I-149-IND-8834	
H317	4303730196	Producer	NE	SE	17	T40S	R24E	2230' FSL / 930' FEL	I-149-IND-8833	
F119	4303730197	TA Producer	NE	NW	19	T40S	R24E	350' FNL / 1960' FWL	I-149-IND-8836	See Attached SI and TA Well Status Spreadsheet
E313	4303730200	Producer	NW	SW	13	T40S	R24E	1815' FSL / 785' FWL	I-149-IND-8837	
F216	4303730212	TA Producer	SE	NW	16	T40S	R24E	1848 FNL / 2043' FWL	NOG 99041323	See Attached SI and TA Well Status Spreadsheet
G421	4303730214	Producer	SW	SE	21	T40S	R24E	380' FSL / 1980' FEL	I-149-IND-8836	
H321	4303730216	Producer	NE	SE	21	T40S	R24E	2043' FSL / 591' FEL	I-149-IND-8836	
F411	4303730217	Producer	SE	SW	11	T40S	R24E	561' FSL / 1798' FWL	I-149-IND-8837	
G114	4303730218	Producer	NW	NE	14	T40S	R24E	660' FNL / 2220' FEL	I-149-IND-8837	
E223	4303730219	Producer	SW	NW	23	T40S	R24E	2106' FNL / 660' FWL	I-149-IND-8838	
E426	4303730220	Producer	SW	SW	26	T40S	R24E	660' FSL / 660' FWL	I-149-IND-8838	

Chevron USA to Resolute Natural Resources

F125	4303730221	Producer	NE	NW	25	T40S	R24E	627' FNL / 1980' FWL	I-149-IND-8838	
G225	4303730222	Producer	SW	NE	25	T40S	R24E	1760' FNL / 2170' FEL	I-149-IND-8838	
H123	4303730223	Producer	NE	NE	23	T40S	R24E	660' FNL / 660' FEL	I-149-IND-8838	
K330	4303730224	Producer	NE	SW	30	T40S	R25E	2020' FSL / 2010' FWL	I-149-IND-8839	
M330	4303730225	Producer	NE	SE	30	T40S	R25E	2046' FSL / 726' FEL	I-149-IND-8839	
G223	4303730226	Producer	SW	NE	23	T40S	R24E	2012' FNL / 1914' FEL	I-149-IND-8838	
H136	4303730227	Producer	NE	NE	36	T40S	R24E	660' FNL / 620' FEL	14-20-603-5443	
G420	4303730228	Producer	SW	SE	20	T40S	R24E	770' FSL / 1900' FEL	I-149-IND-8836	
G314	4303730230	Producer	NW	SE	14	T40S	R24E	1940' FSL / 2020' FEL	I-149-IND-8837	
E224	4303730231	Producer	SW	NW	24	T40S	R24E	1850' FNL / 660' FWL	I-149-IND-8838	
F326	4303730232	Producer	NE	SW	26	T40S	R24E	1914' FSL / 1914' FWL	I-149-IND-8838	
E225	4303730233	SI Producer	SW	NW	25	T40S	R24E	2079' FNL / 790' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
F323	4303730234	Producer	NE	SW	23	T40S	R24E	1914' FSL / 1980' FWL	I-149-IND-8838	
G426	4303730236	Producer	SW	SE	26	T40S	R24E	610' FSL / 1980' FEL	I-149-IND-8838	
F325	4303730237	Producer	NE	SW	25	T40S	R24E	1850' FSL / 1840' FWL	I-149-IND-8838	
G425	4303730238	Producer	SW	SE	25	T40S	R24E	480' FSL / 1840' FEL	I-149-IND-8838	
H325	4303730239	Producer	NE	SE	25	T40S	R24E	1914' FSL / 660' FEL	I-149-IND-8838	
J230	4303730240	Producer	SW	NW	30	T40S	R25E	1980' FNL / 660' FWL	I-149-IND-8839 A	
L230	4303730241	Producer	SW	NE	30	T40S	R25E	1930' FNL / 1898' FEL	I-149-IND-8839	
J430	4303730243	Producer	SW	SW	30	T40S	R25E	660' FSL / 660' FWL	I-149-IND-8839	
F214	4303730250	Producer	SE	NW	14	T40S	R24E	2030' FNL / 1881' FWL	I-149-IND-8837	
E314	4303730266	Producer	NW	SW	14	T40S	R24E	1930' FSL / 660' FWL	I-149-IND-8837	
F414	4303730274	Producer	SE	SW	14	T40S	R24E	593' FSL / 1771' FWL	I-149-IND-8837	
C413	4303730298	TA Producer	SW	SE	13	T40S	R23E	810' FSL / 1980' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
H125	4303730308	Producer	NE	NE	25	T40S	R24E	660' FNL / 560' FEL	I-149-IND-8838	
F126	4303730310	Producer	NE	NW	26	T40S	R24E	560' FNL / 1940' FWL	I-149-IND-8838	
G423	4303730311	Producer	SW	SE	23	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8838	
H323	4303730316	Producer	NE	SE	23	T40S	R24E	1845' FSL / 507' FEL	I-149-IND-8838	
G424	4303730334	TA Producer	SW	SE	24	T40S	R24E	660' FSL / 1980' FEL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
E425	4303730343	Producer	SW	SW	25	T40S	R24E	760' FSL / 840' FWL	I-149-IND-8838	
F322	4303730345	Producer	NE	SW	22	T40S	R24E	2130' FSL / 1980' FWL	I-149-IND-8836	
E422	4303730346	Producer	SW	SW	22	T40S	R24E	890' FSL / 600' FWL	I-149-IND-8836	
H126	4303730348	Producer	NE	NE	26	T40S	R24E	660' FNL / 830' FEL	I-149-IND-8838	
F324	4303730349	SI Producer	NE	SW	24	T40S	R24E	1980' FSL / 2080' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
E424	4303730350	TA Producer	SW	SW	24	T40S	R24E	540' FSL / 450' FWL	I-149-IND-8838	See Attached SI and TA Well Status Spreadsheet
H326	4303730368	Producer	NE	SE	26	T40S	R24E	1850' FSL / 520' FEL	I-149-IND-8838	
G226	4303730369	Producer	SW	NE	26	T40S	R24E	2080' FNL / 1950' FEL	I-149-IND-8838	
E423	4303730370	Producer	SW	SW	23	T40S	R24E	550' FSL / 580' FWL	I-149-IND-8838	
E226	4303730371	Producer	SW	NW	26	T40S	R24E	1980' FNL 660' FWL		
G325X	4303730374	Producer	NW	SE	25	T40S	R24E	1850' FSL / 1710' FEL	I-149-IND-8838	
G422	4303730375	Producer	SW	SE	22	T40S	R24E	500' FSL / 1950' FEL	I-149-IND-8836	
H120X	4303730404	Producer	NE	NE	20	T40S	R24E	280' FNL / 840' FEL	I-149-IND-8833	
H322	4303730407	Producer	NE	SE	22	T40S	R24E	2070' FSL / 770' FEL	I-149-IND-8836	
F136	4303730409	Producer	NE	NW	36	T40S	R24E	760' FNL / 2020' FWL	14-20-603-5444	
G236	4303730410	Producer	SW	NE	36	T40S	R24E	1950' FNL / 1980' FEL	14-20-603-5443	
H335	4303730412	Producer	NE	SE	35	T40S	R24E	1980' FSL / 700' FEL	14-20-603-2059	

Chevron USA to Resolute Natural Resources

J231	4303730413	SI Producer	SW	NW	31	T40S	R25E	1850' FNL / 660' FWL	14-20-603-5443	See Attached SI and TA Well Status Spreadsheet
G221X	4303730516	Producer	SW	NE	21	T40S	R24E	1940' FNL / 1930' FEL	I-149-IND-8836	
A114	4303730634	SI Producer	NW	NW	14	40S	23E	735' FNL / 718' FWL	UTSL 070968	
B214	4303730635	Producer	SE	NW	14	T40S	R23E	1910' FNL / 1950' FWL	SL-070968	
C114	4303730636	SI Producer	NW	NE	14	T40S	R23E	820' FNL / 1920' FEL	SL-070968	See Attached SI and TA Well Status Spreadsheet
C314	4303730637	Producer	NW	SE	14	T40S	R23E	2140' FSL / 1870' FEL	SL-070968	
D214	4303730638	Producer	SE	NE	14	T40S	R23E	2090' FNL / 790' FEL	SL-070968	
D414	4303730639	Producer	SE	SE	14	T40S	R23E	570' FSL / 810' FEL	SL-070968	
H127	4303730643	Producer	NE	NE	27	T40S	R24E	660' FNL / 510' FEL	14-20-603-2056	
H128	4303716224	Injector	NE	NE	28	40S	24E	810' FNL / 510' FEL	14-20-603-2056	
J229	4303730645	SI Producer	SW	NW	29	40S	25E	1980' FNL / 510' FWL	I-149-IND-8839A	
K130	4303730646	Producer	NE	NW	30	T40S	R25E	660' FNL / 2010' FWL	I-149-IND-8839	
K131	4303730647	Producer	NE	NW	31	T40S	R25E	660' FNL / 1980' FWL	14-20-603-372-A	
L430	4303730648	Producer	SW	SE	30	T40S	R25E	660' FSL / 1980' FEL	I-149-IND-8839	
M130	4303730649	Producer	NE	NE	30	T40S	R25E	510' FNL / 780' FEL	I-149-IND-8839	
E236	4303730716	Producer	SW	NW	36	T40S	R24E	1930' FNL / 630' FWL	14-20-603-5444	
F127	4303730718	Producer	NE	NW	27	T40S	R24E	620' FNL / 1910' FWL	14-20-603-2056	
F128	4303730728	Producer	NE	NW	28	T40S	R24E	660' FNL / 1910' FWL	14-20-603-2056	
C313SE	4303731076	SI Producer	C	SE	13	40S	23E	1320' FSL / 1320' FEL	UTSL 070968A	
E118SE	4303731077	TA Producer	SW	NW	18	T40S	R24E	1340' FNL / 1140' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E121SE	4303731078	SI Producer	SW	NW	21	T40S	R24E	1400' FNL / 1320' FWL	I-149-IND-8836	See Attached SI and TA Well Status Spreadsheet
D113SE	4303731382	TA Producer	SE	NE	13	T40S	R23E	1330' FNL / 100' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
D213SE	4303731383	TA Producer	NE	SE	13	T40S	R23E	2700' FNL / 150' FEL	SL-070968-A	See Attached SI and TA Well Status Spreadsheet
E218SE	4303731385	TA Producer	NW	SW	18	T40S	R24E	2660' FNL / 1220' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E407SW	4303731386	TA Producer	SW	SW	7	T40S	R24E	0' FSL / 70' FWL	SL-067807	See Attached SI and TA Well Status Spreadsheet
E115	4303731396	Producer	NW	NW	15	T40S	R24E	630' FNL / 660' FWL	I-149-IND-8834	
F215	4303731397	Producer	SE	NW	15	T40S	R24E	1900' FNL / 1990' FWL	I-149-IND-8834	
F415	4303731398	Producer	SE	SW	15	T40S	R24E	680' FSL / 1880' FWL	I-149-IND-8834	
G315X	4303731408	Producer	NW	SE	15	T40S	R24E	1880' FSL / 1980' FEL	I-149-IND-8834	
H116	4303731409	TA Producer	NE	NE	16	T40S	R24E	660' FNL / 900' FEL	NOG 99041323	
H129	4303731529	Producer	NE	NE	29	T40S	R24E	730' FNL / 730' FEL	14-20-603-4030	
H135	4303731531	Producer	NE	NE	35	T40S	R24E	503' FNL / 813' FEL	14-20-603-2059	
E407SE	4303731534	Producer	NE	NW	18	40S	24E	199' FNL / 1602' FWL	UTSL 067807	
B412	4303731537	TA Producer	SE	SW	12	T40S	R23E	901' FSL / 1600' FWL	SL-070968-A	
F214SE	4303731684	Producer	SE	NW	14	T40S	R24E	2580' FNL / 2350' FWL	I-149-IND-8837	

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

When a CA on:

12/1/2004

FROM: (Old Operator):

N0210-Chevron USA, Inc.

PO Box 4791

Houston, TX 77210-4791

Phone: 1-(713) 752-7431

TO: (New Operator):

N2700-Resolute Natural Resources Company

1675 Broadway, Suite 1950

Denver, CO 80202

Phone: 1-(303) 534-4600

CA No.

Unit:

ANETH

WELL(S)

NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
ANETH UNIT D-113SE	13	400S	230E	4303731382	7000	Indian	OW	TA
ANETH UNIT F214SE	14	400S	240E	4303731684	7000	Indian	OW	P
ANETH UNIT E115	15	400S	240E	4303731396	7000	Indian	OW	P
ANETH UNIT F215	15	400S	240E	4303731397	7000	Indian	OW	P
ANETH UNIT F415	15	400S	240E	4303731398	7000	Indian	OW	P
ANETH UNIT G315X	15	400S	240E	4303731408	7000	Indian	OW	P
ST THREE 12-16(E216)	16	400S	240E	4303715833	7000	State	OW	P
ST THREE 14-16(E416)	16	400S	240E	4303715834	7000	State	OW	P
ST THREE 32-16(G216)	16	400S	240E	4303715835	7000	State	OW	P
ST THREE 34-16(G416)	16	400S	240E	4303715836	7000	State	OW	P
ST THREE 43-16(H316)	16	400S	240E	4303715837	7000	State	OW	P
ANETH U F216	16	400S	240E	4303730212	7000	State	OW	S
ANETH UNIT H116	16	400S	240E	4303731409	7000	State	OW	P
ANETH UNIT E121SE	21	400S	240E	4303731078	7000	Indian	OW	S
ANETH U F127	27	400S	240E	4303730718	7000	Indian	OW	P
ANETH U F128	28	400S	240E	4303730728	7000	Indian	OW	P
ANETH H129	29	400S	240E	4303731529	7000	Indian	OW	P
ANETH H135	35	400S	240E	4303731531	7000	Indian	OW	P
ANETH U E236	36	400S	240E	4303730716	7000	Indian	OW	P

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 12/22/20042. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 12/13/20043. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 11/22/20044. Is the new operator registered in the State of Utah: YES Business Number: 5733505-01435. If **NO**, the operator was contacted on:

6a. (R649-9-2) Waste Management Plan has been received on: _____ requested

6b. Inspections of LA PA state/fee well sites complete on: 12/20/2004

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM not yet BIA not yet

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: not yet

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 12/29/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 12/29/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: B001263

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: B001264

FEE & STATE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number B001262
2. The FORMER operator has requested a release of liability from their bond on: not yet
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: _____

COMMENTS:

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: I-149-IND-8836
1. TYPE OF WELL Oil Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES		7. UNIT or CA AGREEMENT NAME: ANETH
3. ADDRESS OF OPERATOR: 1675 Boradway Ste 1950 , Denver, CO, 80202		8. WELL NAME and NUMBER: ANETH UNIT E121SE
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1400 FNL 1320 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: C-NW Section: 21 Township: 40.0S Range: 24.0E Meridian: S		9. API NUMBER: 43037310780000
PHONE NUMBER: 303 534-4600 Ext		9. FIELD and POOL or WILDCAT: GREATER ANETH
COUNTY: SAN JUAN		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> CASING REPAIR	
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 7/5/2012	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> CHANGE WELL NAME	
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> CONVERT WELL TYPE	
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> NEW CONSTRUCTION	
	<input type="checkbox"/> OPERATOR CHANGE	<input checked="" type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> PLUG BACK	
	<input type="checkbox"/> PRODUCTION START OR RESUME	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION	
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	<input type="checkbox"/> TEMPORARY ABANDON	
	<input type="checkbox"/> TUBING REPAIR	<input type="checkbox"/> VENT OR FLARE	<input type="checkbox"/> WATER DISPOSAL	
	<input type="checkbox"/> WATER SHUTOFF	<input type="checkbox"/> SI TA STATUS EXTENSION	<input type="checkbox"/> APD EXTENSION	
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> OTHER	OTHER: <input style="width: 100px;" type="text"/>	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.
 Resolute has plugged and abandoned their wellbore per attachment on 7-5-12.

Accepted by the
 Utah Division of
 Oil, Gas and Mining
FOR RECORD ONLY
 January 23, 2013

NAME (PLEASE PRINT) Sherry Glass	PHONE NUMBER 303 573-4886	TITLE Sr Regulatory Technician
SIGNATURE N/A	DATE 1/17/2013	

AU E-121SE (Permanent Abandonment)

GREATER ANETH FIELD

1400' FNL & 1320' FWL

SEC 21-T40S-R24E

SAN JUAN COUNTY, UTAH

API # 43037310780000

Producer


Formation Tops

Navajo	
Chinle	1350'
DeChelly	2416'
Organ Rock	
Hermosa	4407'
Ismay	5185'

Current

KB 4562'

GL 4550'



Production csg parted/recovered – no csg 19' from surface.
Csg Top = 19 ft = TOC. (Aug, 2005)

Chinle @ 1350'

Surface Csg: 8-5/8" 24# K-55 @ 1429'. Cmt w/ 300 sxs – no cmt to surface. Cmt w/ 300 sxs (down annulus) – no cmt to surface; went on vacuum – TOC is unknown. (Jan, 1985)
Hole Size: 11"

Sfc Csg Shoe / Chinle*Internal Plug: 1245'-1495' (250')**External Plug: Not Necessary*

RBP (2000')

DV Tool @ 2664'

Hermosa

Internal Plug: Was not be pumped due to lack of csg integrity & possible high pressure trapped btwn RBP & CIBP.

Hermosa @ 4407'**Ismay/Desert Creek**

Internal Plug: Was not be pumped due to lack of csg integrity & possible high pressure trapped btwn RBP & CIBP.

Ismay @ 5185'

CIBP (5235')

Perfs (Desert Creek)
5348'-5455'

Prod Csg: 5-1/2" 14# & 15.5# J-55 @ 5591'. Cmt w/ 1900 sxs – cmt to surface. (Jan, 1985) (TOC @ 19' (CBL) – Mar, 2008)
Hole Size: 7-7/8"

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0135
Expires: July 31, 2010**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.***SUBMIT IN TRIPLICATE - Other instructions on reverse side.***

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. I149IND8836
2. Name of Operator RESOLUTE ANETH, LLC		6. If Indian, Allottee or Tribe Name SHIPROCK
3a. Address 1675 BROADWAY SUITE 1950 DENVER, CO 80202		7. If Unit or CA/Agreement, Name and/or No. 8910077380
3b. Phone No. (include area code) Ph: 303-573-4886 Ext: 1580 Fx: 303-623-3628		8. Well Name and No. ANETH E121SE
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 21 T40S R24E SWNW 1400FNL 1320FWL 37.298240 N Lat, 109.290430 W Lon		9. API Well No. 43-037-31078-00-S1
		10. Field and Pool, or Exploratory ANETH
		11. County or Parish, and State SAN JUAN COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Resolute Natural Resources has P&Ad their Aneth Unit E-121SE as described below.

Work Performed

1. MIRU (07-02-2012)
2. Tag RBP @ 2000 ft.
3. Spot internal cmt plug on top of RBP from 2000 ft to 1750 ft (29 sxs)
4. Spot Surface Csg Shoe & Chinle internal cmt plug from 1495 ft to 1245 ft (29 sxs)
5. Spot Surface internal cmt plug from 220 ft to surface (40 sxs)
6. Cut casing, cap with welded plate and install PA marker.
7. RDMOL (07-05-2012)

Note: All cement pumped was Type ?B? (15.6 ppg)

14. I hereby certify that the foregoing is true and correct. Electronic Submission #142796 verified by the BLM Well Information System For RESOLUTE ANETH, LLC, sent to the Farmington Committed to AFMSS for processing by STEVE MASON on 07/13/2012 (12SXM1271SE)	
Name (Printed/Typed) CRAIG WRIGHT	Title PRODUCTION ENGINEER
Signature (Electronic Submission)	Date 07/12/2012

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By ACCEPTED	STEPHEN MASON Title PETROLEUM ENGINEER	Date 07/13/2012
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office Farmington

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

RECEIVED: Jan. 17, 2013

Sundry Number: 33907 API Well Number: 43037310780000

Additional data for EC transaction #142796 that would not fit on the form

32. Additional remarks, continued

Attachment
Wellbore Schematic (Current)

Revisions to Operator-Submitted EC Data for Sundry Notice #142796

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	ABD SR	ABD SR
Lease:	I149IND8836	I149IND8836
Agreement:	UTU68927A	8910077380 (UTU68927A)
Operator:	RESOLUTE ANETH, LLC 1675 BROADWAY SUITE 1950 DENVER, CO 80202 Ph: 303-573-4886	RESOLUTE ANETH, LLC 1675 BROADWAY SUITE 1950 DENVER, CO 80202 Ph: 303.534.4600
Admin Contact:	SHERRY GLASS SR REGULATORY TECHNICIAN E-Mail: sglass@resoluteenergy.com Ph: 303-573-4886 Ext: 1580 Fx: 303-623-3628	SHERRY GLASS SR REGULATORY TECHNICIAN E-Mail: sglass@resoluteenergy.com Ph: 303-573-4886 Ext: 1580 Fx: 303-623-3628
Tech Contact:	CRAIG WRIGHT PRODUCTION ENGINEER E-Mail: cwright@resoluteenergy.com Cell: 970-396-1425 Ph: 970-564-5200 Fx: 970-564-5234	CRAIG WRIGHT PRODUCTION ENGINEER E-Mail: cwright@resoluteenergy.com Cell: 970-396-1425 Ph: 970-564-5200 Fx: 970-564-5234
Location: State: County:	UT SAN JUAN	UT SAN JUAN
Field/Pool:	ANETH	ANETH
Well/Facility:	ANETH E121SE Sec 21 T40S R24E Mer NAV SWNW 1400FNL 1320FWL	ANETH E121SE Sec 21 T40S R24E SWNW 1400FNL 1320FWL 37.298240 N Lat, 109.290430 W Lon